

Q #	Reference	Question	Government Response
1	CONUS Replacement Center (CRC)	What is the process for the deployment center now?	Government Contractors currently travel to the Ft. Bliss CRC via the El Paso, TX International Airport. Transportation from the airport to Ft. Bliss is available to Government Contractors via the Military liaison located near the car rental area. If the liaison is not present, call at 915-568-5098. Preregister before arrival with the following link: https://www.bliss.army.mil/CRC/
2	RFP, Evaluation Steps	Confirm that the lowest five proposals will go through compliance and then Step 1-3? Will the Government get more proposals if one of the five proposals is not acceptable at technical (Step1)?	<ul style="list-style-type: none"> • All timely offers will be listed according to the total proposed price from lowest total proposed price to highest total proposed price. The Government will conduct the strict compliance review starting with the lowest total proposed priced offer to the highest total proposed priced offer, until at least five (5) or 20% of the proposals (whichever is greater) are determined to be compliant. • Note only the pool of five (5) or 20% (whichever is greater) of the proposals found to be compliant will move to Step 1 Technical Factor Evaluations. • Any Offeror's proposal determined non-compliant will not be evaluated and will not be further considered for award. • Step 1 Technical Evaluations. The Government will evaluate the Technical proposals against the technical evaluation criteria, from the lowest total proposed priced offer to the highest total proposed priced offer found compliant, until five (5) or 20% of the proposals (whichever is greater) are determined to be technically acceptable. • If less than five (5) or 20% of the compliant proposals (whichever is greater) are determined to be technically acceptable, the Government will go back to the list of lowest priced proposals and complete the strict compliance review of the next lowest total proposed priced proposal(s). • Note that only five (5) or 20% (whichever is greater) of the technically acceptable proposals will move to Step 2. • The goal is to have five (5) or 20% compliant and technically acceptable proposals to move to Step 2.
3	Secret Facility Clearance	Please clarify, ACC slide 5 about attachment 0015. All (Offeror, subcontractor, teammate, managing partner) need a security clearance?	<p>Please see L.5.1.6 as it states, "Attachment 0015 shall include a list of proposed Teammates/Subcontractors/Managing Partner that shall require a SECRET Facility Clearance in accordance with PWS Paragraph 1.3.12. In addition L.5.1.6 also states, "Offerors shall also include the name and CAGE of the prime or managing partner of a partnership, joint venture, or limited liability company that possesses the Facility Clearance if Offeror is a newly formed partnership, joint venture, or limited liability."</p> <p>Note: All Subcontractors/Teammates/Partners do not need to be on Attachment 0015, only those who require access to classified information. Finally, Attachment 0015 states, "Attachment 0015 shall include a list of proposed teammates and subcontractors that will require access to classified information."</p>
5	PWS 5.3.16 Battle Damage Assessment	Battle Damage Assessment. Is that part of this requirement?	Contractor will perform a technical inspection of battle damaged equipment to determine extent of damage. TACOM will validate condition code. Non-Mission Capable Supply (NMCS)/Non-Mission Capable Maintenance (NMCM) time will be limited to 60 days; also validated by TACOM. NMCS/NMCM over 60 days will be condition code F-Not Repairable This Station (NRTS), H, P, S at TACOM discretion.

6	RFP L.5.2.1.1(b)(4) Transition-in Approach	Please elaborate on the CAC and transition process.	You are required to have a transition approach for your technical proposal and a transition plan for Contract Data Requirements List (CDRL) PM-07 after award. For Common Access Card (CAC) processing the Contractor will enter the individual's identifying information into the Army Sustainment Command (ASC) G2 web-based application for vetting. If the individual is already listed within the application, the contractor will be able to request and receive a verification from the system immediately. For personnel not listed in the application, ASC G2 will research the National Database for Homeland Security Presidential Directive 12 (HSPD-12) compliance. Those who have a valid investigation and adjudication in the National Database will receive notification within 2 working days.
9	SOFA	Status of Forces Agreement (SOFA) -can we see that?	Yes, the North Atlantic Treaty Organization (NATO) Status of Forces Agreement (SOFA) is now included as Attachment 0018 in Section J of the RFP.
10	TE 3G-001 Government Furnished Facilities	The PDF of facility layouts, can you provide building numbers and relationships/distance to each building?	TE 3G-001 has been revised, all facilities are attached with building type and square footage and functions.
12	RFP	Are there small business evaluations?	There is not a evaluation factor for Small Business or a percentage requirement of such, please see A.5. However, we encourage all BOA small businesses to propose or team for this RFP as this procurement is unrestricted.
13	FLC1 & FLC2 Labor Categories	Can you explain the FLC1 and FLC2 labor categories? Previously it has been unclear. Especially in regard to % breakout for FLC1 and FLC2.	Subject Matter Experts (SMEs) will review proposal to ensure proposed ratio is commensurate with the level of supervisory duties assigned. Per Section L.5.2.1.1(c)(5)(iii), all Managers must be proposed as 100% FLC2. Supervisors may be split between FLC1 and FLC2 as long as the FLC2 portion proposed is commensurate with the level of supervisory duties assigned. Additionally, per L.5.2.1.1(b)(2), Offerors can provide further clarification supporting staffing decisions. Please ensure all documents have consistency on the FLC1 and FLC2 breakouts (i.e., Staffing and Management Plan, Attachment 002, etc.)
14	Foreign Nationals (FN)	Foreign Nationals-Do they need a security background check?	There are two types of background checks for Foreign Nationals (FN's). For access to an installation, the FN will be processed according to the Local Installation Security Policies by the local installation physical security office. For access to Government IT systems, if required, the personnel will be subject to a National Agency Check for issuance of an Alternate Smart Card Log-on/ASCL or "Smart Card".
17	Local Nationals (LNs)	RFP Section L, p. 123, L.5.2.1.1(c)(5)(v) - Will the Government please confirm that Local Nationals are not allowed to perform any duties on this contract, to include any support functions not directly related to maintenance or accountability?	Local Nationals (LNs) are not allowed under the contract regardless of task.

20	Teaming Arrangements	If teaming with another BOA holder for this requirement, is it required that each BOA Holder be listed on their respective Attachment 0002 Team Arrangement or can we propose as a Joint Venture?	<ul style="list-style-type: none"> • A Joint Venture has to be approved as a BOA holder in Step 2 BOA Process. A new Joint venture cannot be created at the Step 3 Task Order level. Please see H.1 (a) and (d). • Each BOA Holder has its own BOA Attachment 0002 which delineates your approved teammates. • Only if your BOA Attachment 0002 indicates organizational capability in any functional area (Maintenance and/or Supply and/or Transportation) are you allowed to team with any subcontractor of your choosing in that functional area. <p>Ex. If your BOA Attachment 0002 indicates organizational capability in Supply, then.....</p> <ul style="list-style-type: none"> ■ For the Supply Functional area you can propose yourself and/or any subcontractor/teammate to perform Supply. (Subcontractor/Teammate does NOT have to be located on your BOA Attachment 0002 and may be another BOA holder.) ■ For Maintenance and Transportation Functional areas, you can propose ONLY yourself and/or any of your approved teammates from your BOA Attachment 0002 to perform Transportation or Maintenance. (Subcontractor/Teammate SHALL be located on your BOA Attachment 0002.)
21	Foreign Nationals (FN)	Is there a security background check for FNs required?	Please see answer for Q14.
22	PWS	Is the equipment set primarily used in support of the advise and assist mission or is a APS-like mission envisioned?	The predominance of the equipment sets are used in support of advise and assist missions as well as force protection missions. Some equipment sets are a type of reserve fleet to be used as backups or in an emergency situation. Most of the maintenance effort is for Advise and Assist (A&A), force protection, and Afghan National Defense Security Forces (ANDSF) support.
23	PWS	PWS 5.3.16 Battle Damage Assessment - Is the Battle Damage Assessment & Repair (BDAR) part of this requirement?	Please see answer for Q5.
24	RFP, Evaluation Steps	Lowest 5 cost -->Strict Compliance-->5 lowest priced that met strict compliance--> 2 of 5 are deemed not technically acceptable. You do not go back to get 2 next lowest priced? I think NO, they rate the remaining 3.	Please see answer for Q2.
25	BOA Datacall	Will the Government be providing responses to the 2015 BOA Datacall before the release of this Solicitation? Note: New teammates and Past Performance data was submitted as part of the 2015 BOA Data Call which may impact an Offerors capability to submit a proposal.	<ul style="list-style-type: none"> • The BOA Team will be in contact with each BOA Holder if there is a need for clarifications. •The Datacall information submitted by each BOA Holder will be utilized during this past performance evaluation. • When submitting a proposal in Step Three, the Offeror shall propose itself and/or approved Teammates listed in the Offeror's BOA Attachment 0002 - Team Arrangement, please see H.1.(d).
26	RFP, Evaluation Steps	Slide 13 of KO presentation notes "Only 5 or 20% (whichever is greater) of the technically acceptable proposals will move to step 2." Does this mean that only 5 or 20% of the lowest price will be evaluated even if more than 5 or 20% are actually technically acceptable?	Yes, this is correct.
29	Past Performance - Problems	Draft RFP: It talks about Past Performance--any performance problems on relevant contracts you must address. Tighten the definition on performance problems. CPARs? Less than satisfactory ratings?	Please see revised L.5.3.5.1, L.5.3.5.2 and Attachment 0003 Performance Questionnaire. These now state specifically Level III CARS, Contract Discrepancy Reports (CDRs), Letter of Concerns (LOCs), Cure Notices, Termination for Default (T4D), and Termination for Cause (T4C) or any issue that you were aware of. In a Past Performance Questionnaire (PPQ) we will give you the opportunity to address through a clarification any adverse past performance that may have arisen during evaluations that you have not had a chance to address.

30	Past Performance - Problems	We would like to better understand what we need to address. Large OCONUS programs you have rotations, and you have an issue in Management Program Reviews (MPRs) we record and take action. Is that what you want to see.	No not if they are internal MPRs, please see answer to Q29.
31	Past Performance	We did submit our past performance during the datacall. Do you have confidence ratings for those submissions?	No, at the BOA level past performance is based on a Acceptable/Unacceptable basis without a confidence rating applied. The BOA proposals are separate from each task order. Each task order stands alone when applying a confidence rating.
32	Past Performance	We were asked about previous ones that fell from recency?	The BOA team's intent was to confirm all information on file for each BOA holder regardless of period of performance. Options could have been exercised, extensions put in place, added scope which would lend to a change in description of work for the BOA holder.
33	Past Performance - Problems	Performance problems on relevant contracts. Specific to AF, the RFP talked about Maintenance, Supply and Transportation. Can you go in to more detail.	Please see answer for Q29.
34	Past Performance	There were subcategories for relevancy. Do we go into that detail?	No, please see M.5.2.8(a) & M.5.2.8(b) for the relevancy definitions.
35	Past Performance - Problems	Relevancy--performance problems. Also defined as 3 years, what if the performance problem was outside the three year window?	Every reference analyzed has to meet the recency window, please see M.5.2.7. If the contract reference is recent in performance the reference would be taken into consideration regardless of ratings assigned or any performance issues.
36	Past Performance	If it gets into the scenario, do you have some sort of EN?	No, Evaluation Notices (ENs) are specific to opening discussions and our intent is to not open discussions, please see L.1.2. We will issue a clarification for any adverse past performance that may arise during evaluations that you have not had a chance to address, please see M.2.1.
37	Teaming Arrangements	Offeror can be prime for maintenance and supply. Can we bring anyone else? Should we bring another subcontractors?	Please see answer for Q20.
44	FLC1 & FLC2 Labor Categories	FLC1 and FLC2. Is there a ratio/standard?	Please see answer for Q13.
46	Teaming Arrangements	Regarding the teaming matrix, can you add subcontractors that are not on your BOA Team?	Please see answer for Q20.
47	Teaming Arrangements	Does the above question require additional past performance?	No additional past performance will be accepted but if the subcontractor is performing 20% or more, the subcontractor's recent/relevant past performance will be evaluated. Please see M.5.2.1.
48	Teaming Arrangements	So if it's Transportation we did not show capability in, do we have to use what is on our BOA Attachment 0002?	Yes, please review your BOA Attachment 0002. BOA Holders must use your BOA Attachment 2 approved teammates for any functional area that was not demonstrated as an organizational capability without the reliance of teammates.
49	BOA Datacall	Most Past Performance has been submitted for the teams?	Please see answer for Q25.
50	Q&A	Once the RFP is issued, will there be another round of Q&A? When you start proposal writing, additional questions might arise.	We are not extending the Q&A period. We will always accept questions and review them during the formal RFP, but we may or may not respond or answer all submitted.

51	Secret Facility Clearance	Secret Facility Clearance - Only the people that are proposing are required to have one or the companies?	Yes, please see L.5.1.6 which states, "In order for an Offeror/Teammate/Subcontractor/Managing Partner to request and sponsor an individual employee's SECRET Security Clearance to perform the functions identified in the PWS Paragraph 1.3.12, the Offeror/Teammate/Subcontractor/Managing Partner shall possess a SECRET Facility Clearance prior to this RFP closing date."
55	Past Performance	Would you consider expanding the Past Performance window? From 3 to 5 years? We are losing Past performance ground as some contracts are expiring.	No, the three year window for relevancy is standard for the EAGLE program at this time.
56	Teaming Arrangements	Can an Offeror submit a teaming partner/sub outside of the BOA proposal.	Please see answer for Q20.
60	PWS, General	Draft PWS--is it identical to the current incumbent PWS?	No, they are not identical. Specifically, the facilities piece is not a part of Enhanced Army Global Logistics Enterprise (EAGLE).
62	Q&A	Addition Q&A periods? Can you extend to first week of final RFP?	Please see answer for Q50.
63	RFP, Timeline	Is there a planned protest time period involved?	When allowable, we always build in debriefing time and a protest period.
64	Q&A	Will the slides, Q&As be sent out?	Yes, we emailed out the Attendees List, Army Contracting Command - Rock Island (ACC-RI) slides, and the 401st slides on 27 March 2015. The 401st slides can not be posted to the EAGLE webpage so you will only receive them by email. If you are reading this the Q&A were sent out in batches.
69	ODCs	Will a contractor pay for medical screening, vaccination requirements through CRC and does it allow for reimbursement?	Yes, the Government will reimburse for the necessary costs (medical screening and vaccinations) to enable deployment. These are allowable reimbursable charges through the Other Direct Cost (ODC) Contract Line Item Number (CLIN).
70	Incumbent Employees	Do the incumbent employees have to leave country? As a trusted agent, you are supposed to leave.	Varies country to country and specific to employment contracts. A new Common Access Card (CAC) is still required if they do not leave the country. These are usually worked on a case by case basis.
74	CFE	If the equipment is there at time of inventory, the Government still made the contractor furnish tools. This is a cost up front we are not aware of? There's no where to price it.	Contractor is not required to furnish special tools and hand tools. All required tools will be Government Furnished Property (GFP).
75	FLC1 & FLC2 Labor Categories	FLC1 hours are buying labor to do certain tasks. When looking at the PWS, we are seeing some linkages that are not there. PWS 5.3, maintenance management tasks, FLC 1 hr. in the column, Direct Touch Labor, don't see any area for publications which is in the PWS. Is that degree of detail needed so we can be compliant? Concerned that we delivered a solution, but you might not think its compliant.	Section 1 of the PWS indicates the effort is performance based. The purpose of the min FLC1 hours is to ensure Offerors propose a certain minimum amount and skill required to perform the effort. The min FLC1 hours are not a complete solution and may not contain all specified tasks or implied tasks. Offerors must propose a complete staffing solution.
76	Labor Brokers	We have different ways of getting staff on the ground, EXPATS and FN. If we were to use a labor broker will those labor brokers need a secret facility clearance?	If the employees are required to have access to classified material, yes. Additionally, for access to Government Information Technology (IT) systems, if required, the personnel will be subject to a National Agency Check for issuance of an Alternate Smart Card Log-on/ASCL or "Smart Card".
78	BOA Datacall	Past Performance, we just submitted information for the Datacall?	Please see answer for Q47.
80	RFP	Is this a Lowest Price Technically Acceptable (LPTA) source selection procedure?	This procurement is considered a best value source selection procedure, please see M.4.1.
86	RFP, Evaluation Steps	When selecting the first five, will they always be the pool of five?	Please see answer for Q2.
87	TE 1-G-005 Key & Specified Non-Key Positions	Do you consider the Key and Specified Non-Key guards non essential?	TE 1-G-005 indicates the "Security Guards" are specified Non-Key positions.

88	TE 1-G-005 Key & Specified Non-Key Positions	STAMIS, are these two Specified Non-Key?	There are no "STAMIS" Specified Non-Key Positions; therefore, it is not clear what the question is and the Government can not determine a accurate response.
89	RFP, Timeline	What is the timeline?	We are confident in the milestones presented to the BOA Holders. Any changes to the milestones will be provided to the BOA holders.
90	TE1 M-S-T-001 Minimum FLC1 Hours	Workload date hours, are they pretty solid?	There may be changes pending the Q&A session. Please pay close attention to the Final RFP.
92	TE-1-G-005 Key & Specified Non-Key Positions	RFP L.5.2.1.1(c), Many of the labor titles the Government uses in TE-1-G-005 Key & Specified Non-Key Positions are not listed in the SCA Directory of Occupations (5th Edition). Can we assume that bidders do not need to describe these labor categories?	Correct. The RFP will be revised to indicate if the duty description is provided in the Service Contract Act (SCA), PWS or any Technical Exhibit; the offeror will not need to describe the labor categories in the Staffing and Management Plan.
94	PWS 1.3.2.4	What is the difference between Government-owned and Government-furnished?	Updated PWS 1.3.2.4 to remove confusion. All references are now Government furnished equipment.
95	Leap Year	Reference hours in TE 1 M-S-T Minimum Functional Labor Category 1 Hours - Afghanistan, it references 4015 hours or 365 days to account for the leap year. L.5.2.1.1(c)(6)(v) FTE numbers are to be consistent throughout the base period and "Options Periods 1-4". Do not assume any change in requirements. Is the Workload data provided for a 12-month period (365 day period)?	Yes, we do not take into account leap years for proposal purposes on Attachment 0002 the Staffing and Labor Mix, please see L.5.2.1.1(c)(6)(v) and M.5.1.2(e). All Offerors are to price 365 days for the base period and all option periods.
96	Leap Year	Please clarify, should the base and option years be identical, which includes the leap year or by CLIN structure (RFP A.4 CLIN Service Period of Performance) that has only 365 days for option years?	We do not take into account leap years for proposal purposes on Attachment 0005 the Cost/Price Matrix. All Offerors are to price 365 days for the base period and all option periods. NOTE: For A.4, it references 365 days for the Base Year and each Option Year. For example, Option Year 1 indicates it will span from 366 days after Notice to Proceed (NTP) - 730 days after NTP. The calculated difference is 364 days; however, you have to count day 366 as day 1; therefore, it is for 365 days.
97	Locations	Following President Obama's announcement, there is a slow down of the withdrawal. Do you anticipate making changes to the locations?	No, not at this time. Plan your bid for the two locations stated in the RFP now, New Kabul Compound (NKC) and Bagram (BAF). This is a requirements contract, any possible changes will be added after award if needed.
100	PWS 3.1.5	Directs PBUSE; however we are transition to fiduciary accounts for accountability, do you foresee revising the PWS/RFP or should we anticipate the RFP/PWS language remaining the same?	The fiduciary accounts are maintained on the retail property accountable system (PBUSE).
104	L.5.1.6 - Secret Facility Clearance	A legal entity formed specifically to compete for task orders on the EAGLE BOA as a Joint Venture (JV) -- a 50-50 partnership between two large capable companies, each possessing a secret facility clearance. Issuance of a secret facility clearance is pending an award of an EAGLE BOA task order. The finding of non-compliance in Section L.5.1.6 of the draft RFP precludes us from competing for EAGLE awards.	This is not an accurate statement. L.5.1.6 states, "The Offeror shall also include the name of its Company or Managing Partner of a partnership, Joint Venture, or Limited Liability Company that possesses the SECRET Facility Clearance if the Offeror is a newly formed partnership, joint venture, or limited liability company." In addition, "The Offeror shall note on its Attachment 0015 if its CAGE code or its Teammate's/Subcontractor's/Managing Partner's CAGE code on Attachment 0010 differs from the CAGE code that holds the SECRET Facility Clearance. In this case, the Offeror shall identify its CAGE code or its Teammate's/Subcontractor's/Managing Partner's CAGE code that holds clearance."
116	Attachment 2 and Attachment 5	Attachment 2 requires FTE counts separately for Bagram and Kabul. Attachment 5 has sub CLINs identified but not by location. Are Offerors required to show detail pricing by the 2 locations or only to the CLINs shown?	Attachment 0002 is specific to functional hours per location. Attachment 0005 is specific to pricing per CLIN. Only price the CLINs shown in Attachment 0005.

117	Foreign Nationals (FN)	Question: Will the government allow properly vetted FNs to receive a government smart card?	FN's that require access to Government IT systems that are CAC/Token enabled will be processed for an Alternate Smart Card Log-on (ASCL) or "Smart Card" at the request of the COR.
118	PWS, C-1, Page 6, 1.3.2.5	Question: Will the Government make Threat Awareness and Reporting Program (TARP) training available to the Contractor's workforce or is the contractor responsible for developing its own training material?	TARP training in the Combined Joint Operations - Afghanistan (CJOA-A) is conducted through the Army Learning Management System (ALMS) and the government will make the training available.
125	PWS, C-5, Page 7, 5.3.14	The paragraph states in part "Utilizing an existing employee, the contractor shall appoint in writing a Publications Coordinator and alternate." Question: Will the Government allow FNs to fulfill this requirement if they can obtain a USG issued Smart Card?	No. Foreign Nationals (FNs) are not authorized Common Access Cards (CACs) only "Smart Cards" at the request of the COR.
126	PWS, C-5, Page 7, 5.3.16	The paragraph states in part "The contractor shall provide remote contract (sic) maintenance team support...in support (of) customer units. Question: Can the Government confirm that it will provide for the shipment of any repair parts required by the contact team while on site at a customer location.	Contractor will request/coordinate for movement of repair parts via government sourced rotary and/or fixed wing aircraft.
127	PWS, C-5, Page 12 & 13, 5.7.2, 5.7.8.1, 5.8.1, 5.17.1.1	Each of the paragraphs provides a requirement for the contractor to operate either a LIS (e.g., SAMS) or an automated management system e.g. the Modification Management Information System (MIMS) or the Hazardous Materials Management System (HMMS). Question: Will the Government allow FNs to operate these systems if they can obtain a USG issued Smart Card?	Please see answer for Q125.
128	PWS, C-5, TE 3G 001 & TE 3G 002, Page 8, 5.3.17	The paragraph states in part that "The contractor shall operate a Small Arms Support Center (SASC)..." TE 3G 001 indicates that there are 12 CONEX containers somehow associated with the SASC. In view of the fact that TE 3G 002 Indicates that there is a prefabricated armory at Bagram it is unclear what the purpose of the 12 CONEX containers is exactly. Question: Will the Government explain the function of the 12 CONEX containers within the SASC (e.g. office space, parts storage, work shops etc.)?	The 12 connexs are to facilitate the retrograde of Small Arms Support Center (SASC) in the event of base closure.
130	PWS, C-5, Page 9, 5.4.3.1	This paragraph states in part "The contractor shall repair weapons to TM 10/20, replace weapons that are beyond repair (damaged receiver), and supply replacement parts, as required." Weapons are carried on organization property books and accounted for in PBUSE. This requirement would indicate that the SASC is both a maintenance and repair facility and at the same time a source of supply. Question: Can the Government clarify the role of the SASC and how it expects the AR 710-2 Property Book accountability requirements to be addressed?	Army Field Support Battalion (AFSBn) Afghanistan maintains a HR holder for SASC weapons. Coordination is made between Unit, Property Book Officer (PBO) and HR Holder to account for property. The contractor will, on order, issue serviceable weapons and retrograde the unserviceable weapons.
131	PWS, C-5 TE 3g 002, Page 9, 5.5.4	The paragraph states in part "The contractor shall properly prepare and paint supported equipment and components as required to perform materiel maintenance to include sand blasting." TE 3G 002 does not list any sort of sand or bead blasting equipment or facility. Question: Can the Government confirm whether sand/bead blasting equipment and facilities will be made available or will this requirement be eliminated?	There are no sand/bead blasting equipment/ facilities available. PWS 5.5.4 has been updated to remove sand blasting.
132	PWS, C-5, TE 3G 001 & TE 3G 002, Page 9, 5.5.4	The paragraph establishes the requirement for the contractor to operate and maintain all MMD paint booths and breathing air machines. TE 3G 001 however does not identify any paint booths as Government Furnished Facilities. Likewise, TE 3G 002 does not identify any paint booths, air breathing machines, or respirators. Question: Can the Government specify the number and size of the paint booths to be operated and maintained as well as the number of air breathing machines?	No paint booth requirement. PWS 5.5.4 has been updated to remove "The contractor shall operate and maintain all Materiel Maintenance Division (MMD) paint booths and breathing air machines in accordance with Operational Safety and Health Administration (OSHA) 29 CFR 1910-107, AR 200-1." Additionally, respirators have been added to TE 3G-002.

133	PWS, C-5, TE 3G 001, Page 10, 5.5.7	The paragraph states in part "The contractor shall provide load testing for all supported equipment." TE 3G 002 however, does not reflect any load testing devices (e.g. load indicators, calibrated dynamometer, or locally fabricated [and certified] weights). Question: Can the Government confirm the presence of the load testing equipment required to support this requirement?	Locally fabricated weights and a calibrated dynamometer are part of Government Furnished Equipment (GFE). TE 3G-002 has been updated appropriately.
134	PWS C-5, Page 11, 5.5.14	The paragraph states that the contractor shall provide recovery services however, it does not indicate whether those services are to be provided strictly on Bagram and Kandahar and potentially the FOBs or if recovery services are to be provided outside the perimeter of these installations. Question: Can the Government clarify the scope of the recovery mission?	Recovery support is on base only.
135	PWS, C-5, Page 27, 5.11.1	The paragraph states in part "The contractor shall provide supply support services operations to include Installation Supply Support Activity (Retail Supply Services), Redistribution Property Assistance Team (RPAT) Yard and Hazardous Material (HAZMAT) operations." The PWS provides requirements for RPAT Yard and HAZMAT operations but is silent with respect to Retail Supply Services. Question: Will the Government be providing requirements for Retail Supply Services or is this excluded from the contract?	Contractor will not operate an Supply Support Activity (SSA). Contractor will be required to manage shop stock, bench stock and parts received. PWS 5.11.1 has been updated to remove "Installation Supply Support Activity".
143	TE 3G 001, Page 2 & 3, N/A	The TE calls out several structures by name, however the acronyms used as the names are not used in the PWS. Question: Can the Government indicate what the following facilities are used for: ADAC office, FPV office, MEEL Set Storage, MTC office, PCP Break Room?	ADAC Office, MTC office and FPV office are admin office containers: MEEL set storage are Large Industrial metal warehouses (2)- 200'x 300'~ 60,000 sf: PCP break room is an admin office container used as a break room.
144	TE 3G 001, Page 1, N/A	The TE facilities to be provided to the contractor include a TMP and Storage Shelter. The PWS does not however make the contractor responsible for any portion of the TMP mission. Question: Can the Government clarify its intent for the contractor with respect to the TMP?	Contractor is not responsible for Transportation Motor Pool operations.
145	TE 3 G 001, Page 4, N/A	The map provided with TE 3G 001 is not legible. Question: Will the Government provide a new map of different scale that clearly lists all building numbers and describes what function they house?	Please see answer for Q10.
148	Secret Facility Clearance	Attachment 0015 Instructions direct Offerors to include a list of proposed teammates and subcontractors that will require access to classified information. Question: If so, will the Government identify the specific facilities and /or PWS functional tasks associated with this contract, if any, in which FN personnel shall not have access and authorization to perform work of a classified nature (for example, Weapons Repair in the Small Arms Support Center)?	Foreign Nationals (FNs) are not authorized access to classified facilities or to perform work requiring security clearances; such as Small Arms Support Center (SASC) and Communication equipment.
151	Secret Facility Clearance	Slide 5, 3rd bullet, of Industry Day Virtual Site Visit Solicitation Overview briefing states "Offeror/Teammates/Subcontract/Managing Partner identified on Attachment 0015 will be required to have a Secret Facility Clearance." Question: Will the Government confirm that subcontractors the Prime may select to provide contractor-furnished vehicles and/or equipment, do not: (a) require a secret facility clearance; and therefore (b) should not be listed on Attachment 0015?	Subcontractors that do not require access to classified material to complete contractual obligations will not be required to obtain/hold a Facility Security Clearance and do not need to be listed on Attachment 0015.
161	PWS, pg. 63, PWS Para 3.6.1	Reference states: The Government will provide to the contractor special tools, hand tools and equipment on hand at time of physical joint inventories. This is a very vague statement (at time of physical joint inventories) as evidenced on some previous EAGLE contracts. Question: Will the Government confirm that contractor is not required to furnish special tools and hand	Please see answer for Q74.

171	RFP, pg. 39, Section C, Para C-5 (c	Contractor personnel who deploy for multiple tours, which exceed 12 months in total, must be reevaluated for fitness to deploy every 12 months IAW the current USCENTCOM Individual Protection and Individual/Unit Deployment Policy standards. An examination will remain valid for 15 months from the date of the physical. This allows an examination to be valid up to 90 days prior to deployment. Once a deployment begins, the examination will only be good for a maximum of 12 months. Any medical waivers received will be valid for a maximum of 12 months. Failure to obtain an updated medical waiver before the expiration of the current waiver renders the employee unfit and subject to redeployment. Question: Is the Government requiring the Contractor to price the fitness evaluation in Contractor Proposed ODCs or will the Government reimburse from the service CLIN ODCs?	Yes, the Government will reimburse for reoccurring fitness evaluations under the ODC CLIN.
172	Secret Facility Clearance	RFP, pg. 119, L.5.1.6 - Reference states: In order for an Offeror/Teammate/Subcontractor/Managing Partner to request and sponsor an individual employee's SECRET Security Clearance to perform the functions identified in the PWS Paragraph 1.3.12, the Offeror/Teammate/Subcontractor/Managing Partner shall possess a SECRET Facility Clearance prior to this RFP closing date. In addition, during Virtual Site Visit, Government stated Prime has to have and others do not as long as they are not doing any functions which are classified. Question: Will the Government please clarify the Secret Facility Clearance requirement and is the Offeror required to put all Teammates/Subcontractors on the Attachment 0015?	Please see answer for Q3.
197	RFP Section H, p. 52, H.3	Suggest revising language on Transition-In CLIN invoicing from "final invoice" to "initial invoice" as 0001AA is a CPPF CLIN and an initial invoice will be submitted with contractor's current indirect billing rates, but a final invoice cannot be submitted until final indirect cost rates are established.	One invoice for CLIN 0001AA shall be submitted within the time period established, please see H.3(b). All rates will be established prior to award, please see H.5.
198	Capped Rates	RFP Section H, p. 53, H.6 - Will Offerors be notified of the Government's intent to cap indirect rates prior to award and have a chance to clarify questions on rates deemed "not fully supported by historical and/or budgetary data".	No, please see L.1.2 and M.4.4 for the intent to award this contract without discussions. Please see M.5.3.1.2 for the information on Capped Rates.
199	RFP Section H, pp. 52-53	The numbering in the draft RFP skips H.5. Will the Government please correct the numbering in Section "H" of the RFP?	Section H was renumbered to ensure it was in consecutive order.
200	RFP Section H, p. 55, H-4	We believe Section H-4 Clause 5152.225-5910 of the draft RFP does not apply to this solicitation as maintenance of living quarters in Afghanistan is the purview of another contract, namely LOGCAP IV. Would the Government please remove Section H-4 from the final RFP?	No, this clause shall remain as it is required for all service/construction contracts with performance in Afghanistan.
201	RFP Section I, pp. 76-77, I-131	We believe Section I-131, 252.237-7019, is non-applicable to this solicitation. Would the Government please remove this clause from the final RFP?	No, this clause shall remain as it is required as a result of another clause 252.225-7040.
202	RFP Section K, pp. 98-100, K-2	DRFP K-2, 52.204-8 ANNUAL REPRESENTATIONS AND CERTIFICATIONS already has an "X" that paragraph (d) applies stating the Offerors would like to reply on SAM instead of completing the individual reps and certs in the solicitation yet Section L.5.1.4 requires Section K clauses that require contractor certification. Will the Government please provide a clean version of Section K for Offerors to complete without pre-selected criteria?	The "X" was removed from Clause 52.204-8 paragraph (b)(2)(i).
204	RFP Section L, pp. 125-126, L.5.3.5.1	Will the Government please clarify the start date for this requirement as the current BOA period of performance start date?	Please see your BOA Award and you can find the BOA Expiration Date in this document. The Task Order will have a period of performance delineated in A.4. The BOA period and Task Order period are two separate periods.
209	Capped Rates	RFP M.5.3.1.2(c) - Will the Government notify Offerors of the Government's intent to cap direct labor rates prior to award and have a chance to clarify questions on rates deemed "not fully supported"?	Please see answer for Q198.

212	TE3G-003	TE3G-003 General Mechanics Took Kit is insufficient for the maintenance necessary on this contract. Will the Government please consider revising the requirement to include the appropriate took kit for use on this contract?	Please see answer for Q74.
227	PWS Section C-5, p. 9, 5.5.2	Will the Government please confirm that Ballistic Armor Plating welding will be required on this contract?	Contractor is not required to perform ballistic armor plate welding
228	PWS Section C-5, p. 9, 5.5.1 & 5.5.4	If CARC painting is required on this contract, will the Government please indicate whether the facilities and equipment to support CARC painting will be the responsibility of the offeror or will be supplied by the Government?	Minor touch up painting is occasionally required. All Personal Protective Equipment (PPE) is Government Furnished Property (GFP).
231	PWS Section C-5, p. 10, 5.5.12	Will the Government please confirm that the necessary equipment for performing wheel alignment will be provided to the contractor?	Contractor will be required to perform manual wheel alignment. No special equipment is on hand; therefore, wheel alignments will be performed manually.
244	L.2.2; Attachment 0010	Section L.2.2 notes, "All information pertaining to a particular volume shall be confined to that volume. For example, no Cost/Price information shall be included in any volume other than the Cost/Price Proposal Volume." Would the Government please confirm that Attachment 0010 does indeed belong to Volume 1, General Documents?	Yes, please see L.5.1.8(a).
262	Attachment 0009, Purchasing & Invoicing Guide	Would the government please clarify if the invoice approval days are business or calendar days?	Attachment 0009, the Purchasing and Invoicing Guide, at has been revised to show for the Contracting Officers Representative (COR) (in theater) is defined as calendar days and the Procuring Contracting Officer (PCO) (stateside) is defined as business days.
263	Q&A	What is the anticipated response time back to Industry for the draft RFP questions?	As soon as possible, and if needed they will be delivered in batches but the numbering convention will be kept.
264	Q&A	Could the Government provide Offerors partial releases of responses as they are received in lieu of a single release when all questions have responses to release?	Please see answer for Q263.
265	RFP	Given the complexities associated with working in a hazardous, austere location and managing third country nationals/local nationals we suggest the Government reconsider using the Modified Best Value Approach for this Task Order and implement a Best Value Tradeoff evaluation. We recognize the Government's desire to streamline the evaluation process by using the modified best value approach, however, using this approach does not appear to be in the best interest to meet the Government's mission objective.	Regarding Local Nationals comment, please see answer for Q17. Regarding Best Value comment, please see answer for Q80.
266	FLC1 & FLC2 Labor Categories	We suggest the Government consider not providing minimum labor hours and categories for evaluation as this restricts using proven alternative staffing approaches. Alternative approaches ultimately deliver cost savings to the government and increase quality and performance. If minimum hours and categories are dictated, it will unfairly eliminate companies that are structured for high performance, but do not fit the exact inefficient models that are often used for evaluation. The standard models unfairly normalize high performance companies resulting in giving the government a sweatshop type solution in meeting critical mission requirements.	These are standard EAGLE processes, please see M.4.1.
270	Locations	Aside from Bagram, what are the locations of the other FOBs Contractor will be deployed to in Afghanistan?	Please see answer to Q97
273	General	What is the expected length of time Contractor will be working at the FOBs?	Please see Narrative A.4 for the period of performance of this task order.
274	General	Will Contractor be deploying via a Government Deployment Center? If so, where is the Deployment Center located?	Please see answer for Q1.

275	Environmental Baseline Assessment	Please confirm that the Contractor will be entitled to perform an environmental baseline assessment during the transition in period and any issues will be brought to the Government for determination on remedy.	An environmental baseline assessment during any period will not be reimbursed by the Government under this contract.
276	Environmental Closeout	Please confirm that the Contractor will be entitled to perform an environmental closeout at the completion of the period of performance and following the assessment and period of performance completion the Contractor will no longer be liable for any environmental liabilities, fines or damages.	An environmental closeout during any period will not be reimbursed by the Government under this contract.
277	Local Nationals (LNs)	Please confirm that Afghan Local Nationals cannot be used in performance of this task order.	Please see answer for Q17.
289	Protection	PWS, pg. 11, Section 1.5.1 - Please confirm that Contractor is not required to provide our own security company to provide force protection for Contractor personnel, that force protection for Contractor personnel is provided by the U.S. Government.	The Government provides Force Protection.
290	Protection	PWS, pg. 13, Section 1.5.5 - What is the Government expectation on the physical security the Contractor is to provide?	The Government expects the contractor to provide a visible deterrent to any persons attempting to break-in to the 401st footprint or take items off the 401st footprint.
291	Protection	PWS, pg. 13, Section 1.5.5 - Is this security of the vehicles and facilities?	Vehicles, facilities and personnel.
293	Protection	PWS, pg. 14, Section 1.5.7 - What types of weapons will the Contractor be storing?	M9 pistol through M777 howitzer.
294	Protection	PWS, pg. 14, Section 1.5.7 - Please confirm that weapons and ammunition are stored in separate areas.	Correct. Weapons and ammunition are stored separately.
295	PWS, Section C-5 pg. 28, Section 5.17	What types of hazardous materials will Contractor be exposed to?	Standard hazardous materials associated with automotive and weapons sustainment; not limited to oils, exhausts fumes and batteries.
297	PWS, Section C-5 pg. 28, Section 5.17	Is the Contractor transporting HAZMAT over public roads?	No. Hazardous Material (HAZMAT) transportation is only on Base.
298	PWS, Section C-5 pg. 28, Section 5.17	If Contractor is transporting HAZMAT who will be providing and driving the vehicles?	The Contractor will provide the driver and the vehicle will be leased/GFP.
300	Protection	PWS,Section C-5 pg1, Section 5.0.2 - Please confirm that Contractor's security force is not armed? If Government intends them to be armed please confirm that Government will provide the weapons and ammunition.	No, at no time shall any workforce under this contract be armed. Security will be provided by the Government.
301	Protection	PWS,Section C-5 pg1, Section 5.0.2 - Clause states there are requirements to maintain physical security by monitoring and verifying authorization for entry – Is this protection for the entire base or just Contractor employees?	This protection is for the 401st footprint, not the entire base.
302	Protection	PWS,Section C-5 pg1, Section 5.0.2 - Please confirm that Contractor is not required to provide their own physical security in the potentially "austere conditions"?	Terminology is key here. Yes, the EAGLE contractor guard force provides physical security at Site A and Site B but they DO NOT provide the force protection.
303	Protection	PWS, Section C-5 pg. 1, Section 5.0.3 - States contractor shall patrol 401st AFSB by motor vehicle and or foot. Please confirm this patrol is limited to the military installation and that the Contractor will not be armed.	Patrol is limited to 401st footprint which is inside the military installation and contracted guard force is not armed.
305	PWS Section F pages 44 & 45	Clause calls for UID marking in accordance with the New DFARS clause 252.211-7007 & 252.211-7003, will the government provide the marking materials as GFE?	<ul style="list-style-type: none"> •Clause 252.211-7007 is for reporting GFP into the Item Unique Identification (IUID), please see (b)(1) and (2) as to when reporting is required. •For Clause 252.211-7003, the clause specifically states it is only for an item with a unit acquisition cost is \$5,000 or more. •Yes, the contractor will order them from our catalog then the Government will provide tags for marking
306	PWS Section F pages 44 & 45	Were DFARS Clauses 252.211-7007 and 252.211-7003 enforced on the predecessor contract?	This question does not apply to this task order.

307	PWS Section H, 3. (B) page 52	As written, the final invoice for the transition in CLIN shall be submitted no later than 7 days after the end of CLIN 001AA' period of performance. Will the government consider changing the submission of the final invoice for transition to 30 days after the period of performance closes?	Yes, Section H.3(b) was revised from seven (7) to thirty (30) days.
308	Capped Rates	H.6 Capped Rates - As written, "TBD", When will the government make a determination on these rates? It is critical to determining subcontract pursuit decisions, and publishing these rates as part of the final PWS release does not provide contractor teams the ability to make a prudent pursuit decision.	H.6 was renumbered to H.5. Please see the now revised H.5, "To Be Determined (TBD)" will only be applicable at award if/when the Government is capping any rates for the Awardee or it's Teammate(s)/Subcontractors(s).
309	RFP	DRAFT - W52P1J-15-R-0004, Page # 3, Paragraph # A.19 (2) - This paragraph currently reads "...under circumstance such as those described in paragraph (a) of this definition...". Should this refer to paragraph (1) rather than paragraph (a)?	This paragraph was moved to A.20, and was revised in paragraph (2) from "(a)" to "1".
313	Past Performance	Att0003_DRAFT_Performance Questionnaire - This form inquires if the company listed on this form has had any relevant contracts where it experienced performance problems during the timeframe outlined therein. To ensure we address any and all required contracts, we request that ACC define "relevant" contracts?	Please see M.5.2.8(c) for the relevancy criteria of scope, magnitude, and complexity.
314	Past Performance	DRAFT - W52P1J-15-R-0004, Page # 125, Paragraph # L.5.3.5.1 and Att0003_DRAFT_Performance Questionnaire - This paragraph states that "The Offeror shall identify all recent and relevant contracts where it or its proposed Teammates expected to perform 20% or more of the total proposed priced experienced any performance problems..." Will ACC please provide its definition of a "performance problem"? Would Offerors be correct in assuming that performance problems are confined to instances that resulted in Offeror or Teammate receipt of Level III CARs, cure notices or show cause letters, as listed in this RFP paragraph? Would receipt of a rating less than "Satisfactory" on a CPAR be defined as a "performance problem"?	Please see answer for Q29. No, a "Satisfactory" or less on a Contractor Performance Assessment Reporting (CPAR) is not a performance problem.
319	Teaming Arrangements	DRAFT - W52P1J-15-R-0004, page # 51, paragraph # H.1 (e) and Afghanistan-ACC-RI slides-FINAL - Can a BOA Holder who has demonstrated capability in a functional area without the reliance of Teammates in Step Two propose a Subcontractor that is not listed on the BOA Holder's Attachment 0002 - Team Arrangement to perform in that functional area on this Afghanistan Task Order? Paragraph H.1 (e) of the draft RFP clearly states this is possible; however, statements on slides 7 and 16 of the referenced slide deck (presented at the Virtual Site Visit for the Afghanistan Task Order) seem to contradict Para H.1 (e) of the draft RFP. Please clarify.	Yes, please see answer for Q20.
323	Capped Rates	DRAFT - W52P1J-15-R-0004, Page # 53, Paragraph # L.5.2.1.1, H.6 - Will the USG enter discussions with the Offeror and/or Teammate (s) / Subcontractor (s) prior to capping Indirect Rates and issuing an award?	Please see answer for Q198.
330	DRAFT - W52P1J-15-R-0004, page # 117, paragraph # L.2.2 and page # 121, paragraph # L.5.2.1.1 (b) (1)	There seems to be a contradiction between these two paragraphs. L.2.2 states that "All information pertaining to a particular volume shall be confined to that volume. For example, no Cost/Price information shall be included in any volume other than the Cost/Price Proposal volume". However, L.5.2.1.1 (b) (1) states that if the Offeror proposes Government-funded incentives, bonuses, etc. that "...estimated dollar amounts need to be proposed in both the Technical Volume and the Cost/price Volume...". Please clarify.	Unless otherwise stated as in L.5.2.1.1 (b) (1), L.2.2 does remain as a proposal preparation requirement and in effect. L.2.2 is an accurate statement.
332	Past Performance	Att0003_DRAFT_Performance_Questionnaire M.5.2.7, p. 140 - Will the Govt consider expanding the past performance window to five years in lieu of the three years stated in the draft RFP?	Please see answer for Q55.

333	Teaming Arrangements	Can an offer submit a teaming partner/subcontractor outside of team mates listed in the BOA proposals in addition to the opportunity to submit past performance for major sub?	Please see answer for Q20.
336	RFP	Can you elaborate on the Small Business Requirements for their use and/or % of value in regard to working in Afghanistan?	Please see answer for Q12.
337	PWS	Is the PWS prescribed in the RFP identical to current PWS being performed currently by incumbents?	Please see answer for Q60.
338	Secret Facility Clearance	Will teaming partners and/or subcontractors be required to hold a Security Facility Clearance?	Please see answer for Q3, 51, 172.
339	RFP	What are the 3 most important drivers for RIA to execute this contract?	This question does not apply to this task order.
340	Q&A	Will RIA extend the current Q/A session scheduled to close March 30th to accommodate any questions that arise with the release of the RFP May 1st?	Please see answer for Q50.