

	RFP Reference	QUESTION	Response
63	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Central Issue Facility</u> ) maintenance of building and surrounding grounds.	In order to properly identify the correct labor category for this effort, please identify the PWS paragraph in the Central Issue Section for the line item identified as maintenance of building and surrounding grounds?	The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Contractor responsibilities for the EAGLE task order are identified in PWS paragraphs 1.10.13 and 3.8.8 and involve a combination of the following: Sweeping, mopping or scrubbing, and polishing floors; removing trash, and other refuse; dusting equipment; and cleaning lavatories, and restrooms. <b>These tasks have been added to the TE M-S-T-001 Central Issue Facility- maintenance of building and surrounding grounds.</b>
64	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Central Issue Facility</u> ) maintenance of building and surrounding grounds.	Please provide the square footage of work and a list of the specific maintenance of building and surrounding grounds work?	The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Please see Exhibit G - TE 3G-001 Government Furnished Facilities for facility square footage. Additionally, the projected hours for these tasks are captured in TE 1-M-S-T-001.
65	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Ammunition, Administrative</u> ) Housekeeping, equipment and grounds maintenance.	In order to properly identify the correct labor category for this effort, please identify the PWS paragraph in the Ammunition Supply section for the line item identified as Ammunition, Administrative to perform housekeeping, equipment and grounds maintenance.	The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Contractor responsibilities for the EAGLE Task Order are identified in PWS paragraphs 1.10.13; 3.8.8; 3.8.9; and 3.8.10 and involve a combination of the following: cutting grass, snow removal, and may clean comfort stations, offices workshop areas, and parking lots by sweeping, washing, mopping and polishing. <b>These tasks have been added to the TE M-S-T-001 Ammunition Supply Services- Housekeeping, equipment and grounds maintenance.</b>

66	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Transportation Motor Pool</u> ) Office and Administrative Custodial Services Accomplished.	Please provide the square footage of work and a list of the specific Office and Administrative Custodial Services required?	The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Please see Exhibit G - TE 3G-001 Government Furnished Facilities for facility square footage. Additionally, the projected hours for these tasks are captured in TE 1-M-S-T-001.
67	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Transportation Motor Pool</u> ) Other TMP Buildings and Grounds Custodial Service is Accomplished	Please provide the square footage of work and a list of the specific Other TMP Buildings and Grounds Custodial Services?	The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Contractor responsibilities for the EAGLE Task Order are identified in PWS paragraphs 1.10.13 and 3.8.8 and involve a combination of the following: Sweeping, mopping or scrubbing, and polishing floors; removing trash, and other refuse; dusting equipment ; and cleaning lavatories, and restrooms. Please see Exhibit G - TE 3G-001 Government Furnished Facilities for facility square footage. <b>These tasks have been added to the TE M-S-T-001 Transportation Motor Pool "Other TMP Buildings and Grounds Custodial Service."</b>
68	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Transportation Motor Pool</u> ) Physical Security provided.	Please provide a list of the specific duties of the physical security that is required to be provided?	Refer to Attachment 0001 - PWS 5.24.4. The contractor shall ensure that all vehicles parked in the TMP vehicle lot are locked and secured in accordance with AR 58-1 and TM 38-600.
69	Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas ( <u>Transportation Motor Pool</u> ) Physical Security provided.	Does the government expect the contractor to provide a security guard labor category for this position?	EAGLE will NOT specify a particular Labor category.

70	<p>Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas (<u>Material Movement</u>) Office and Administrative Custodial Services Accomplished.</p>	<p>Please provide the square footage of work and a list of the specific Office and Administrative Custodial Services to be accomplished?</p>	<p>The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Contractor responsibilities for the EAGLE Task Order are identified in PWS paragraphs 1.10.13 and 3.8.8 involve a combination of the following: Sweeping, mopping or scrubbing, and polishing floors; removing trash, and other refuse; dusting equipment ; and cleaning lavatories, and restrooms. Please see Exhibit G - TE 3G-001 Government Furnished Facilities for facility square footage. <b>These tasks have been added to the TE M-S-T-001 Material Movement- Office and Administrative Custodial Services Accomplished.</b></p>
71	<p>Exhibit A TE-1 Minimum Functional Labor Category 1 Hours for Fort Riley, Kansas (<u>Material Movement</u>) Other ITD Buildings and Grounds Custodial Service is Accomplished</p>	<p>Please provide the square footage of work and a list of the specific Other ITD Buildings and Grounds Custodial Service is to be accomplished?</p>	<p>The tasks listed in TE 1-M-S-T-001 are not to replace the services provided by the DPW as listed in PWS paragraphs 3.8.1 - 3.8.7. The Government will provide preventive maintenance and repair of GFF in accordance with AR 420-70. Contractor responsibilities for the EAGLE Task Order are identified in PWS paragraphs 1.10.13; 3.8.8; 3.8.9; and 3.8.10 and involve a combination of the following: cutting grass, snow removal, and may clean comfort stations, offices workshop areas, and parking lots by sweeping, washing, mopping and polishing. <b>These tasks have been added to the TE M-S-T-001 Material Movement- Other ITD Buildings and Grounds Custodial Services Accomplished.</b></p>
72	<p>PWS, Section C-2, page 1, para 1.1.1</p>	<p>Can the Government clarify what work and associated workload will be performed at, and what Government facilities are available at the 3 APODs identified in this paragraph (Manhattan Regional, Salina Regional and Forbes Field)?</p>	<p>There is no requirement to have them staffed full time. This is on an as needed basis. Proposals should be prepared in accordance with Exhibit A -TE M-S-T-001 Minimum Functional Labor Category 1 Hours.</p>

73	PWS, Section C-2, page 2, para 1.2.2	Can the Government provide any information as to the type work, amount and locations of any off-post locations?	Attachment 0001 - PWS section 1.2.2 states "These areas will include: unit facilities; range/field locations; other Government facilities; and by exception, at off-post / to-be-determined locations." That means they are NOT determined yet, and it will be on an as needed basis. Proposals should be prepared in accordance with Exhibit A -TE M-S-T-001 Minimum Functional Labor Category 1 Hours.
74	PWS, Section C-3, page 7, para 3.8.10	Does the Government really mean to imply that the contractor is responsible for snow removal and ice control for <b>ALL</b> buildings at Ft Riley or does it mean just the buildings that the contractor occupies? This type service is normally provided under a separate contract.	NO, it is not the government's intent for the contractor to be responsible for ALL buildings at Fort Riley. This support is only required for the buildings that are controlled and occupied by the contractor. The projected hours for these tasks are captured in TE 1-M-S-T-001. Additionally, please see Exhibit G TE 3G-001 Government Furnished Facilities.
75	Questions & Answers dated 13 January 2015; Question #47, Page 10	Question #47 of the Questions & Answers released on 13 January 2015 indicates, that minimum productive hours to support the tasks identified in PWS Paragraph 5.4 Arms and Sensitive Item Storage Requirements were added to TE 1-M-S-T-001. When reviewing the version of TE -1-M-S-T-001 released with the final RFP documents, no hours are listed for PWS Section 5.4. Is the Government planning on adding these hours?	The workload hours associated with Paragraph "5.4 Arms and Sensitive Item Storage Requirements" is combined with "5.5 Allied Trades/I Shop-Small Arms Repair" in the Exhibit A - TE 1 M-S-T 001 Minimum Functional Labor Category 1 Hours. <b>The TE 1 M-S-T 001 has been updated to show that PWS 5.4 and 5.5 are combined.</b>
76	Exhibit A TE 1 M-S-T-001 Functional Labor Category 1 Hours (PWS 5.5 Allied Trades)	<p>The updated Exhibit A was revised to contain "Repair and service of office machines and related equipment to include repair/service of small and/or portable HVAC units."</p> <p>The first part of this task aligns with the typical SCA duties and responsibilities of an "Office Appliance Repairer," but not the second part regarding HVAC units. Please confirm that the "Office Appliance Repairer" labor category will be considered technically acceptable to address this task.</p>	The labor category assigned to completing the tasks "Repair and service office machines and related equipment" should also possess the certification to perform repair/service of small and/or portable HVAC units.

77	W52P1J-14-R-01154 DRAFT RFP Questions and Responses 07 Jan 2015, Question 9 provided the following response "Yes. TE 1G-005 Key and Specified Non Key Requirements has been updated to state "This is a full time position" next to positions that must be stand alone and equal to 1 FTE.	Referenced document indicates TE 1G-005 has been updated to show "This is a full time position". There are no entries on the TE 1G-005 stating "This is a full time position" are we to assume none of the positions must be full time. Please clarify "Are there any full time position or not".	TE 1G-005 had been updated to show "This is a full time position" next to positions that must be stand alone and equal to 1 FTE.
78	Attachment 0005 - Cost/Price Matrix	Cell I36 of Attachment 0005 - Cost/Price Matrix does not contain a grand total calculation for the Subtotal – Proposed Contract Value. Would the Government please provide an updated Attachment 0005 to include this?	Attachment 0005 - Cost/Price matrix has been updated.
79	Amendment 0001 Exhibit A TE 1 - M-S-T-001 Minimum Functional Labor Category 1 Hours lists 165,119 hours for the total minimum FLC1 hours for the Supply functional area. Attachment 0002 – Staffing/Labor Mix lists 165,120 hours for the total minimum FLC1 hours for the Supply functional area.	Would the Government please issue a corrected Attachment 0002 reflecting 165,119 hours for the total minimum FLC1 hours for the Supply functional area?	<b>Attachment 0002 has been updated to reflect 165,119 hours for the total minimum FLC1 hours for the Supply functional area.</b>
80	Attachment 0014, Contract Participation	Instructions for submission are not provided for Attachment 0014, Contract Participation. Since the subject procurement is a Small Business set-aside, are offerors required to submit this attachment?	Attachment 0014 - Contract Participation has been removed from the solicitation.
81	Attachment 0005 - Cost/Price Matrix	Cell D8 of Attachment 0005 - Cost/Price Matrix is protected. Would the Government please provide an updated Attachment 0005 with this cell unlocked?	Attachment 0005 - Cost/Price matrix has been updated.
82	Exhibit A, TE 1 M-S-T-001, Minimum Functional Labor Category 1 Hours; W52P1J-14-R-0154 Draft RFP Questions and Responses 07 Jan 2015	Q&A # 47 states, "TE 1 M-S-T 001 has been updated to include PWS section 5.4." After careful review of TE 1 M-S-T 001, there is no mention of minimum productive hours for PWS 5.4, Arms and Sensitive Items Storage. Will the government provide the minimum FLC1 hours for PWS 5.4, Arms and Sensitive Items Storage, to assist in determining staffing?	The workload hours associated with Paragraph "5.4 Arms and Sensitive Item Storage Requirements" is combined with "5.5 Allied Trades/I Shop-Small Arms Repair" in the Exhibit A - TE 1 M-S-T 001 Minimum Functional Labor Category 1 Hours. <b>The TE 1 M-S-T 001 has been updated to show that PWS 5.4 and 5.5 are combined.</b>

83	<p>Exhibit A, TE 1 M-S-T-001, Minimum Functional Labor Category 1 Hours;  Exhibit G, TE 3G-002, Government Furnished Equipment  W52P1J-14-R-0154 Draft RFP  Questions and Responses 07 Jan 2015</p>	<p>Q&amp;A #18 addressed the PWS 5.5.8 requirement for HVAC maintenance services by adding 'to include repair/service of small and/or portable HVAC units' to the workload for 'repair and service office machines and related equipment.' In our experience, these two tasks require different skill sets. Furthermore, after careful review of Exhibit G, there are no HVAC units listed to further define this requirement and the associated workload. Would the Government please provide further clarification in Exhibit A of HVAC related tasks and workload and update Exhibit G to reflect associated HVAC units, or remove this requirement from the PWS if there is no associated equipment and workload?</p>	<p>The labor category assigned to completing the tasks "Repair and service office machines and related equipment" should also possess the certification to perform repair/service of small and/or portable HVAC units.</p>
84	<p>W52P1J-14-R-0154 Draft RFP  Questions and Responses 07 Jan 2015</p>	<p>Q&amp;A # 4 states, "The hours for these tasks are included in TE 1 M-S-T-001 under the tasks of 'Diagnose, service and repair heavy and industrial equipment'. The labor category that would perform the tasks of 'Diagnose, service and repair heavy and industrial equipment' also needs to be capable of performing the tasks of 'fire extinguisher / suppression system inspection, maintenance, repair, testing and recharging of Department of Defense (DoD) ground combat vehicles with on-board fire suppression systems, portable (standalone), and wheeled fire extinguishers'."</p> <p>The task is located under PWS paragraph 5.5.15 in Shop L; however, the description provided above for "Diagnose, service and repair heavy and industrial equipment" is located under Shops B, D, and K. Is it the government's intent that this Allied Trades task be completed by a labor category located in either Shop B, D, or K?</p>	<p>This Allied Trades task may be required to be completed by a labor category located in either Shop B, D, or K. The hours provided in TE M-S-T-001 for the task of "Diagnose, service and repair heavy and industrial equipment" also includes the capabilities of performing the tasks of fire extinguisher / suppression system inspection, maintenance, repair, testing and recharging of Department of Defense (DoD) ground combat vehicles with on-board fire suppression systems, portable (standalone), and wheeled fire extinguishers.</p>

85	RFP Paragraph L.5.3.1 "The Government will consider the recent and relevant past performance references that were provided with the Offeror's BOA proposal, task order proposals to date, and the BOA annual review, as well as references obtained from sources other than those identified by the Offeror. Offerors are not required or allowed to provide additional past performance contract references for itself, proposed teammates, and/or major subcontractors for use in this task order evaluation."	If the Prime Contractor selects a major subcontractor from the BOA contract holders list that was not previously submitted with the Prime's BOA past performance information, will the Government review the past performance of the major subcontractor based on that subcontractors original BOA submission? As no additional past performance references will be required or allowed – how will the Government evaluate the past performance of this new major subcontractor?	The Government will review the Recent and Relevant Past Performance information for the Prime Offeror and for any proposed subcontractors performing 20% or more of the Offerors total proposed price (for the base period and all option periods). The Government will assess the contract references provided in the Offeror's BOA proposal, the BOA annual review process, and task order proposals to date, and other information available from sources other than those identified by the offeror, against the past performance evaluation criteria detailed in Section M.5.2.2 - M.5.2.9.
86	Draft RFP Q&A and Exhibit F TE 1G-005 Key and Specified Non-Key Requirements	In Answer 9 to the Government's Answers to Questions on the Fort Riley Draft Solicitation the Government indicates that the Quality Control, Safety, Security and Environmental Managers are full time positions, however Exhibit F TE 1G-005 Key and Specified Non-Key Requirements has not been updated to reflect this. Question: Will the Government confirm that these are mutually exclusive positions equal to 1.0 Full Time Equivalent Each?	TE 1G-005 had been updated to show "This is a full time position" next to positions that must be stand alone and equal to 1 FTE.
87	Exhibit A TE 1 -M-S-T-001	Exhibit A TE 1 -M-S-T-001 Minimum Functional Labor Category 1 Hours does not identify any associated work hours with PWS task 5.4. Will the Government confirm that no positions are dedicated to these functions and that they are conducted as additional duties by employees in other Maintenance sections?	The workload hours associated with Paragraph "5.4 Arms and Sensitive Item Storage Requirements" is combined with "5.5 Allied Trades/I Shop-Small Arms Repair" in the Exhibit A - TE 1 M-S-T 001 Minimum Functional Labor Category 1 Hours. <b>The TE 1 M-S-T 001 has been updated to show that PWS 5.4 and 5.5 are combined.</b>
88	Exhibit A TE 1 -M-S-T-001	Will the Government please specify how many workload hours are associated Emergency Vehicle Technician (EVT) support?	Please refer to PWS 5.2.2 and TE 1G-005 Key and Specified Non-Key Requirements.